<u>CLAIMS</u>

- 1. (Original) A data processing device comprising:
- a microprocessor for fetching and executing an instruction;
- a coprocessor for storing data managed by the microprocessor,
- a microprocessor data cache for storing data managed by the microprocessor;
- an X-data cache for storing a first data group managed by the coprocessor; and
- a Y-data cache for storing a second data group managed by the coprocessor.
- (Original) The data processing device of claim 1, wherein the microprocessor conducts arithmetic operations for integers and floating points, and Boolean functions.
- 3. (Original) The data processing device of claim 1, wherein the coprocessor executes a digital signal processor function operable with at least one of video, audio, video capture and play-back, telephone communication, voice identification and synthesis, and multimedia communication.
- 4. (Original) The data processing device of claim 3, wherein the digital signal processor function is micro-coded with at least one of finite impulse response and infinite impulse response filters, a Fourier transform, a correlation function, a matrix multiplication, and a Taylor series function.
 - (Original) A data processing device comprising:
 a microprocessor for fetching and executing an instruction;

- a coprocessor for storing data managed by the microprocessor,
- an X-data cache for storing a first data group managed by the coprocessor; and
- a Y-data cache for storing a second data group managed by the coprocessor;
- wherein the microprocessor selects an alternative one of the X-data cache and the Y-data cache to store data managed by the microprocessor.
- 6. (Original) The data processing device of claim 5, wherein the microprocessor conducts arithmetic operations for integers and floating points, and Boolean functions.
- 7. (Original) The data processing device of claim 5, wherein the coprocessor executes a digital signal processor function operable with at least one of video, audio, video capture and play-back, telephone communication, voice identification and synthesis, and multimedia communication.
- 8. (Original) The data processing device of claim 7, wherein the digital signal processor function is micro-coded with at least one of finite impulse response and infinite impulse response filters, a Fourier transform, a correlation function, a matrix multiplication, and a Taylor series function.
 - 9. (Original) A computer system comprising:
 - a system bus;
 - a host processor for receiving, decoding, and executing an instruction;
 - an arbiter for controlling priorities for system bus access;

a data processing unit for performing a digital signal processing operation subject to the host processor; and

an external memory for storing data managed by the data processing unit;
wherein the data processing unit comprises:
a microprocessor for fetching and executing an instruction;
a coprocessor for storing data managed by the microprocessor;
a microprocessor data cache for storing data managed by the microprocessor;
an X-data cache for storing a first data group managed by the coprocessor; and

10. (Original) The computer system of claim 9, further comprising a slave in accordance with a need of a user.

a Y-data cache for storing a second data group managed by the coprocessor.

- 11. (Original) The computer system of claim 10, wherein the slave comprises at least one of a storage extension module, a video control extension module, a multimedia extension module, and a communication extension module.
- 12. (Original) The computer system of claim 10, further comprising a decoder for addressing the data processing unit and the slave.
- 13. (Original) The computer system of claim 9, wherein the external memory comprises: a microprocessor data field for storing data to and/or from the microprocessor data cache; an X-

data field for storing to and/or from the X-data cache; and a Y-data field for storing to and/or from the Y-data cache.

- 14. (Original) The data processing device of claim 9, wherein the microprocessor conducts arithmetic operations for integers and floating points, and Boolean functions.
- 15. (Original) The data processing device of claim 9, wherein the coprocessor executes a digital signal processor function operable with at least one of video, audio, video capture and play-back, telephone communication, voice identification and synthesis, and multimedia communication.
- 16. (Original) The data processing device of claim 15, wherein the digital signal processor function is micro-coded with at least one of finite impulse response and infinite impulse response filters, a Fourier transform, a correlation function, a matrix multiplication, and a Taylor series function.
 - 17. (Original) A computer system comprising:
 - a system bus;
 - a host processor for receiving, decoding, and executing an instruction;
 - an arbiter for controlling priorities for system bus access;
- a data processing unit for performing a digital signal processing operation subject to the host processor; and

an external memory for storing data managed by the data processing units;

wherein the data processing unit comprises:

- a microprocessor for fetching and executing an instruction;
- a coprocessor for storing data managed by the microprocessor;
- an X-data cache for storing a first data group managed by the coprocessor; and
- a Y-data cache for storing a second data group managed by the coprocessor.
- 18. (Original) The computer system of claim 17, further comprising a slave in accordance with a need of a user.
- 19. (Original) The computer system of claim 18, wherein the slave comprises at least one of a storage extension module, a video control extension module, a multimedia extension module, and a communication extension module.
- 20. (Original) The computer system of claim 18, further comprising a decoder for addressing the data processing unit and the slave.
- 21. (Previously Presented) The computer system of claim 17, wherein the external memory comprises:
 - a microprocessor data field for storing data to and/or from the microprocessor;
 - an X-data field for storing to and/or from the X-data cache; and
- a Y-data field for storing to and/or from the Y-data cache, wherein the X-data field and the Y-data field overlap, and wherein an area of overlap is the microprocessor data field.

- 22. (Original) The data processing device of claim 17, wherein the microprocessor conducts arithmetic operations for integers and floating points, and Boolean functions.
- 23. (Original) The data processing device of claim 17, wherein the coprocessor executes a digital signal processor function operable with at least one of video, audio, video capture and play-back, telephone communication, voice identification and synthesis, and multimedia communication.
- 24. (Original) The data processing device of claim 23, wherein the digital signal processor function is micro-coded with at least one of finite impulse response and infinite impulse response filters, a Fourier transform, a correlation function, a matrix multiplication, and a Taylor series function.
- 25. (Previously Presented) The data processing system of claim 5, further comprising an external memory segmented into an X-data field for storing data of the X-data cache, a Y-data field for storing data of the Y-data cache, and a microprocessor data field, wherein the X-data field and the Y-data field overlap, and wherein an area of overlap is the microprocessor data field.